

300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

August 26, 2005

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill-Dominion Exploration & Production, Inc.

LCU 2-17H

816' FNL & 1,808' FEL, NW/4 NE/4, Section 17, T11S, R20E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and two copies of the *Application for Permit to Drill (APD)* for the above referenced vertical well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton

Don Hamilton
Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Carla Christian, Dominion

RECEIVED AUG 2 9 2005

DIV. OF OIL, GAS & MINING

FILE GODY

CONFIDENTIAL

APPROVED BY

## UNITED STATES

SUBMIT IN TRIPLICATE\*
(Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires: December 31, 1991

## DEPARTMENT OF THE INTERIOR

5. LEASE DESIGNATION AND SERIAL NO.


	BUI	GAU OF LAND MANA	GEMENI			UTU-76265	
	APPLICATION 1	FOR PERMIT T	O DRILL OF	R DEEPEN		6. IF INDIAN, ALLOTTEE OR TRIBE	NAME
la. TYPE OF WORK						N/A 7. UNIT AGREEMENT NAME	
	DRILL 🔣	DEEPEN				Little Canyon Unit	
b. TYPE OF WELL OIL	GAS _		SINGLE	MULTIPLE		8. FARM OR LEASE NAME, WELL NO	<b>D</b> .
WELL	WELL NOTHER		ZONE	ZONE		LCU 2-17H	
2. NAME OF OPERATOR						9. API WELL NO.	
	ominion Exploration &	Production, Inc.				43-047-37050	
3. ADDRESS AND TELEF		1 0 5 600 01			T.10. TO CO.	10. FIELD AND POOL, OR WILDCAT	
4 LOCATION OF WELL	000 Quail Springs Pat (Report location clearly and in accor	kway, Suite 600, Ok	**	20 0	-11 <b>49-</b> 52 <b>6</b> 3 45 434	Natural Buttes	ideat
At sunface		₹ 1,808' FEL, NW/4	6112691	C		A Section 2, 7	
At proposed prodi, zone		≿ 1,808' FEL, NW/4	न्पा <i>५५</i> स	4 -109.4	,99070	TIIS, R20E, SLB&	. A
14. DISTANCE IN MILES	S AND DIRECTION FROM NEAR	EST TOWN OR POST OFFICE*	INL//4			12 COUNTY OR PARISH 13. ST	
	15.44 mile	s south of Ouray, Uta	ah			Uintah Ut	ah
15. DISTANCE FROM PR LOCATION TO NEAR	OPOSED*		NO. OF ACRES IN LEASE			NO. OF ACRES ASSIGNED TO THIS WELL	
PROPERTY OR LEAS (Also to nearest drig. un	E LINE, FT.	]	<i>a</i> 40				
18, DESTANCE FROM PR	0.10	19.1	640 PROPOSED DEPTH	·	2(0) PR(	40 acres DIARY OR CABLE TOOLS	
LOCATION TO NEAR DRILLING, COMPLE							
APPLIED FOR, ON TH	ALS LEASE, FT. 2,750°		8,450"			_ Rotary	
21. ELEVATIONS (Show	whether DF,RT,GR,etc.)					22. APPROX. DATE WORK WILL START*	
	5,233°	GR				January 15, 2006	
23.		PROPOSED CASING	AND CEMENTING	PROGRAM			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		Qì	UANTITY OF CEMENT	
12-1/4**	%-5/8™ J-55 ST&C	32#	2,000°	252 sks Lead, 2	219 sks, tail, 10	00 sks top out—see attached Drilling P	lan
7-7/8*	5-1/2" May 80 LT&C	17#	8,450			see attached Drilling Plan	
Danid Inchance	- 4.º ·		-	•		•	
Bond Inform		provided by Trevele	ma Cognolty and S			- D 1 //7/2 (2050 0200	
	Bolld coverage is	provided by Travele	rs Casualty and S	urety Company	y of America	a, Bond #76S 63050 0330	
Other Inform	nation:						
		Surface Use Plan are					
	Dominion request	s that this complete a	application for per	rmit to drill be	held confide	ential.	
	CC O 12						
	Surface Ownershi	p – Federal under the	e management of	the Bureau of	Land Manag	gement - Vernal Field Office, 1	70
	South 30	00 East, Vernal, Utah	1 040/0; 433-78		<i></i> _		
			•	RECEIV	/ED		
			:	OED 1.0	2005		
		of this		SEP 1 2	2005		
	Fede	ral Approval of this in is Necessary	·			ODIOMA	
	Actio	W IS MOOD	Di	V. OF OIL, GAS	& MINING	ORIGINAL	
							•
IN ABOVE SPACE	DESCRIBE PROPOSED F locations and measured and true ve	ROGRAM: If proposal is to d	leepen, give data present proc	ductive zone and propose	ed new productive zo	one. If proposal is to drill or deepen directionally,	give
24.	,	ucai depuis. Give blowout prever	ner program, if any.				
SIGNED Dor	Hamillon D	on Hamilton TITLE	Agent for Do	minion		DATE August 26, 2005	
(This space for Federa						DATE August 20, 2003	=
PERMIT NO	13-047-37059	^	APPROVAL DATE				

\*See Instructions On Reverse Side

BRADLEY G. HILL ENVIRONMENTAL SCIENTIST III

applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

## T11S, R20E, S.L.B.&M.




### DOMINION EXPLR. & PROD., INC.

Well location, LCU #2-17H, located as shown in the NW 1/4 NE 1/4 of Section 17, T11S, R20E, S.L.B.&M. Uintah County Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

Set Marked Stone, Pile of Stones

COOL

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319

DOMINION EXPLR. & PROD., INC

STATE OF UTAH

#### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

(NAD 83)

LATITUDE = 39.51.54.80" (39.865222)

LONGITUDE = 109'41'59.35" (109.699819)

(NAD 27)

LATITUDE = 39°51′54.93″ (39.865258) LONGITUDE = 109°41′56.86″ (109.699128)

85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017 SCALE DATE SURVEYED: DATE DRAWN: 1" = 1000'4-29-05 5-3-05 PARTY REFERENCES B.B. D.L. K.G. G.L.O. PLAT WEATHER FILE

UINTAH ENGINEERING & LAND SURVEYING

## ■ SECTION CORNERS LOCATED. \( \) = RE-ESTABLISHED MATHEMATICALLY GRANT BOUNDARY METHOD. (NOT SET)

LEGEND:

= 90° SYMBOL

PROPOSED WELL HEAD.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### **Attachment for Permit to Drill**

Name of Operator:

Dominion Exploration & Production

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 2-17H

816' FNL & 1808' FEL Section 17-11S-20E Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

#### 2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	3,100
Green River Tongue	3,425
Wasatch	3.565
Chapita Wells	4,500
Uteland Buttes	5,630,
Mesaverde	6,250

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	Type
Wasatch Tongue	3.100	Oil
Green River Tongue	3.425	Oil
Wasatch	3,565°	Gas
Chapita Wells	4,500	Gas
Uteland Buttes	5,630	Gas
Mesaverde	6,250°	Gas

#### 4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

Type	Size	Weight	<u>Grade</u>	Conn.	<u>Top</u>	<u>Bottom</u>	<u>Hole</u>
Surface	8-5/8"	32.0 ppf	J-55	STC	0-	2.000	12-1/4"
Production	5-1/2	17.0 ppf	MAV-80	LTC	0,	8.450	7-7/8"

Note: The drilled depth of the surface hole and the setting depth of the surface casing may vary from 1,700' to 2,000'. Should a lost circulation zone be encountered while drilling, casing will be set approximately 300' below the lost circulation zone. If no lost circulation zone is encountered, casing to be set at 2,000'±.

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### 5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Surface hole: No BOPE will be utilized. Air foam mist, rotating head and diverter system will be utilized. Production hole: Prior to drilling out the surface casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from intermediate casing to total depth. The blind rams will be tested once per day from intermediate casing to total depth if operations permit.

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling below the intermediate casing shoe. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

#### 6. MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.

<u>Depths</u>	Mud Weight (ppg)	Mud System
0' - 2,000'	8.4	Air foam mist, rotating head and diverter
2,000' - 8,450'	8.6	Fresh water/2% KCL/KCL mud system

#### BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 100' from the wellhead.

#### 8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

#### 9. TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to surface casing.
- The gamma ray will be left on to record from total depth to surface casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to surface casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

#### 10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

#### DRILLING PLAN

#### APPROVAL OF OPERATIONS

#### 11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

#### 12. CEMENT SYSTEMS

#### a. Surface Cement:

- Drill 12-1/4" hole to 2,000'±, run and cement 8-5/8" to surface (depth to vary based on depth of lost circulation zone).
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
- Cement the casing annulus to surface. Top out jobs to be performed if needed. Depending to depth of top of cement in the annulus, a 1" tubing string may or may not be utilized.

					<u>Hole</u>	<u>Cement</u>	
<u>Type</u>	Sacks	<u>Interval</u>	<b>Density</b>	<u>Yield</u>	<u>Volume</u>	<u>Volume</u>	<u>Excess</u>
Lead	252	0'-1,500'	11.0 ppg	3.82 CFS	619 CF	835 CF	35%
Tail	219	1,500'-2,000'	15.6 ppg	1.18 CFS	220 CF	297 CF	35%
Top Out	100	0'-200'	15.6 ppg	1.18 CFS	95 CF	118 CF	24% (if required)

Lead Mix: Premium Plus V blend. Blend includes Class "G" cement, gel, salt, gilsonite.

Slurry yield: 3.82 cf/sack Slurry weight: 11.00 #/gal.

Water requirement: 22.95 gal/sack

Tail Mix: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

Top Out: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

#### c. Production Casing Cement:

- Drill 7-7/8" hole to 8,450'±, run and cement 5 1/2".
- Cement interface is at 4,000', which is typically 500'-1,000' above shallowest pay.
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 3% KCL.

					<u>Hole</u>	<u>Cement</u>	
<u>Type</u>	<b>Sacks</b>	Interval	<b>Density</b>	<u>Yield</u>	<u>Volume</u>	<u>Volume</u>	<b>Excess</b>
Lead	160	3,700'-4,700'	11.5 ppg	3.12 CFS	175 CF	350 CF	100%
Tail	435	4,700'-8,450'	13.0 ppg	1.75 CFS	473 CF	946 CF	100%

Note: A caliper log will be ran to determine cement volume requirements.

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry yield: 3.12 cf/sack Slurry weight: 11.60 #/gal.

Water requirement: 17.71 gal/sack

Compressives (a) 130°F: 157 psi after 24 hours

Tail Mix: Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

& HR-5.

Slurry yield: 1.75 cf/sack Slurry weight: 13.00 #/gal.

Water requirement: 9.09 gal/sack

Compressives (a), 165°F: 905 psi after 24 hours

#### 13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

January 15, 2006

Duration:

14 Days



#### **SURFACE USE PLAN**

#### CONDITIONS OF APPROVAL

#### Attachment for Permit to Drill

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 2-17H

816' FNL & 1808' FEL Section 17-11S-20E Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The federal onsite inspection for the referenced well was conducted on Friday, May 20, 2005 at approximately 12:30 pm. In attendance at the onsite inspection were the following individuals:

Ken Secrest

Foreman

Dominion E & P, Inc.

John Floyd Stan Olmstead Surveyor

Uintah Engineering and Land Surveying

Nat. Res. Prot. Spec.

Bureau of Land Management - Vernal

Karl Wright

Nat. Res. Prot. Spec.

Bureau of Land Management - Vernal

**Amy Torres** 

**Biologist** 

#### 1. **Existing Roads:**

- The proposed well site is located approximately 15.44 miles south of Ouray, UT. a.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- The use of roads under State and County Road Department maintenance are necessary to c. access the Little Canyon Unit. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate e. with road and weather conditions.
- f. Since no improvements are anticipated to the State, County, Tribal or BLM access roads no topsoil striping will occur.
- An off-lease federal Right-of-Way is not anticipated for the access road or utility corridor g. since both are located within the existing Little Canyon Unit boundary.

#### 2. Planned Access Roads:

- a. From the proposed LCU 11-17H access corridor an access is proposed trending north approximately 0.15 miles to the proposed well site. The access consists of new disturbance and crosses no significant drainages. A road design plan is not anticipated at this time.
- b. The proposed access road will consist of a 24' travel surface within a 30' disturbed area.
- c. BLM approval to construct and utilize the proposed access road is requested with this application.
- d. A maximum grade of 10% will be maintained throughout the project with no cuts and fills required to access the well.
- e. No turnouts are proposed since the access road is only 0.15 miles long and adequate site distance exists in all directions.
- f. No culverts are anticipated. Adequate drainage structures will be incorporated into the road.
- g. No surfacing material will come from federal or Indian lands.
- h. No gates or cattle guards are anticipated at this time
- i. Surface disturbance and vehicular travel will be limited to the approved location access road.
- j. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards</u> for Oil and Gas Exploration and Development, (1989).
- k. The operator will be responsible for all maintenance of the access road including drainage structures.

#### 3. Location of Existing Wells:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

#### 4. Location of Production Facilities:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will

be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.

- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the southeast side of the well site and traverse 926' south to the proposed 6" corridor that will then be installed back to the proposed LCU 11-9H wellsite.
- i. The new gas pipeline will be a 6" or less steel surface line within a 20' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 7,400' is associated with this well.
- j. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.
- k. A determination of buried versus surface pipeline is presently pending between Dominion and the BLM. A future additional onsite with the BLM will further clarify if the pipeline will need to be buried.

#### 5. <u>Location and Type of Water Supply:</u>

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

#### 6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

#### 7. Methods of Handling Waste Disposal:

a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.

- b. Drill cuttings will be contained and buried on site.
- c. The reserve pit will be located outboard of the location and along the southeast side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.
- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- l. Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

#### 8. <u>Ancillary Facilities</u>:

a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

#### 9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the south.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors, and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- i. The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

#### 10. Plans for Restoration of the Surface:

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On and BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- c. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours.

- d. The cut and fill slopes and all other disturbed areas not needed for the production operation will be top soiled and re-vegetated. The stockpiled topsoil will be evenly distributed over the disturbed area.
- e. Prior to reseeding the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix will be detailed within their approval documents.

#### 11. Surface and Mineral Ownership:

- a. Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

#### 12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the pending report will be submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
  - a. The well makes use of the Hill Creek Crossing and tribal access road previously applied for within the LCU 15-9H documents.
  - b. No endangered plants were found during the onsite inspection though the access and pipeline corridors do cross potential habitat for known endangered plants.

#### 13. Operator's Representative and Certification

Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

#### Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


Signature: Don Hamilton Date: 8-26-05

## DOMINION EXPLR. & PROD., INC. LCU #2-17H SECTION 17, T11S, R20E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 6.6 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #15-9H TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN A SOUTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.1 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #11-17H TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY. THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 1.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTH; FOLLOW ROAD FLAGS IN A NORTHERLY DIRECTION APPROXIMATELY 0.15 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 51.95 MILES.





## DOMINION EXPLR. & PROD., INC.

LCU #2-17H LOCATED IN UINTAH COUNTY, UTAH SECTION 17, T11S, R20E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

**CAMERA ANGLE: NORTHWESTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

**CAMERA ANGLE: NORTHWESTERLY** 




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


05 09 05 MONTH DAY YEAR


**РНОТО** 


TAKEN BY: D.L. | DRAWN BY: C.P. | REVISED: 00-00-00














### BOP STACK



## CHOKE MANIFOLD



APD RECEIVED: 08/29/2005	API NO. ASSIGNED: 43-047-37059
WELL NAME: LCU 2-17H	
OPERATOR: DOMINION EXPL & PROD ( N1095 )	
CONTACT: DON HAMILTON	PHONE NUMBER: 435-650-1886
PROPOSED LOCATION:	
NWNE 17 110S 200E	INSPECT LOCATN BY: / /
SURFACE: 0816 FNL 1808 FEL BOTTOM: 0816 FNL 1808 FEL	Tech Review Initials Date
UINTAH	Engineering
WILDCAT ( 1 )	Coology
	Geology
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-76265	Surface
SURFACE OWNER: 1 - Federal	
PROPOSED FORMATION: MVRD	LATITUDE: 39.86542
COALBED METHANE WELL? NO	LONGITUDE: -109.6991
COMBBD FETTAME WEED: NO	
RECEIVED AND/OR REVIEWED:	LOCATION AND SITING:
✓ Plat	
	R649-2-3.
Bond: Fed[1] Ind[] Sta[] Fee[]	Unit LITTLE CANYON
(No. 76S630500330 )  Potash (Y/N)	√ R649-3-2. General
N Oil Shale 190-5 (B) or 190-3 or 190-13	Siting: 460 From Qtr/Qtr & 920' Between Wells
✓ Water Permit	R649-3-3. Exception
(No. 43-10447 )	RO49 3 3. MACCEPTION
RDCC Review (Y/N)	Drilling Unit
(Date:	Board Cause No:
NA Fee Surf Agreement (Y/N)	Eff Date: Siting:
_NUM Intent to Commingle (Y/N)	
The intent to comming te (1/N)	R649-3-11. Directional Drill
COMMENTS:	
CTI DIU ATTONO.	
STIPULATIONS: 1- tederal appr	,
- Spacing Stip	



## **United States Department of the Interior**

## BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

September 1, 2005

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2005 Plan of Development Little Canyon Unit Uintah County,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following well is planned for calendar year 2005 within the Little Canyon Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ MesaVerde)

43-047-37059 LCU 2-17H Sec 17 T11S R20E 0816 FNL 1808 FEL

This office has no objections to permitting the well at this time.

/s/ Michael L. Coulthard

bcc: File - Little Canyon Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron



State of Utah

Department of Natural Resources

> MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

September 12, 2005

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Re: Little Canyon Unit 2-17H Well, 816' FNL, 1808' FEL, NW NE, Sec. 17, T. 11 South, R. 20 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37059.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc: Ui

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.				
Well Name & Number	Little Canyon U				
API Number:	43-047-37059				
Lease:	UTU-76265				
Location: <u>NW NE</u>	Sec. 17	T. <u>11 South</u>	<b>R.</b> 20 East		

### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

## UNITH TATES DEPARTMENT THE INTERIOR BUREAU OF LAND MANAGEMENT

#### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

FORM APPROVED
OMB No. 1004-0135
 Expires: November 30, 2000

OMB No	. 1004-0135
--------	-------------

5.	Lease	Serial	No.

1 17	- TI I	70	2	$\sim$	_
U	FU-	· / C	۱2	n	:

Ó.	Ιf	Indian,	Allottee	or	Tribe	Name
----	----	---------	----------	----	-------	------

	Form 3160-3 (APD) for					
SUBMIT IN TRIPLIC	ATE - Other Instruction	is on reverse side		7. If Unit or Ca	A/Agreement, Name	e and/or No.
1. Type of Well			M	Little	Canyon Unit	
Oil Well X Gas Well	Other	HVI IULIVI	iHL	8. Well Name	and No.	
2. Name of Operator				LCU 2	2-17H	
DOMINION EXPLORATION & PR	RODUCTION INC			9. API Well No	o. 7-37059	
3a. Address Suite 6		3b. Phone No. (inclu	de area code)	43-04	1-31039	
14000 QUAIL SPGS PKWY, OKL	A CITY, OK 73134	405-749-130	•	10. Field and P	ool, or Exploratory	Area
4. Location of Well (Footage, Sec., T., R., M.,	or Survey Description)					
816' FNL & 1808' FEL, N	WNF Sec 17-119-20F	=		Natur 11. County or I	al Buttes	
010 1 NE & 1000 1 EE, N	WINE, OCC. 17-110-20L	_		111. County of 1	ransn, state	
				Uintal	n Co., Utah	
12. CHECK APPROPRIATE	BOX(ES) TO INDICATE	E NATURE OF N	OTICE, REPO	RT OR OT	HER DATA	
TYPE OF SUBMISSION		TYP	E OF ACTION			
X Notice of Intent	Acidize	Deepen	Production (S	art/Resume)	Water Shut-C	Off
_	Altering Casing	Fracture Treat	Reclamation		Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete		X Other	
	Change Plans	Plug and Abandon	Temporarily A	bandon	APD Extensi	on
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposa	al		
Attach the Bond under which the work following completion of the involved ope testing has been completed. Final Ab determined that the site is ready for final.  The State APD for this well 6	erations. If the operation results in pandonment Notices shall be filed I inspection.)	in a multiple completio I only after all requiren	n or recompletion in the process, including recommendation is hereby reduced by the vision of	n a new interva lamation, have	l, a Form 3160-4 s been completed and	hall be filed once d the operator has
14. I hereby certify that the foregoing is true an		Date: 09-	25-0G	<u> </u>		
Name (Printed/Typed)	id correct					
Carla Christian			EMIT S	Sr. Regu	ılatory Special	<u>ist</u>
Signature (	rustian		Date		\ug-06	
THI	S SPACE FOR FEDE	RAL OR STA	TE OFFICE	USE 🤛		A State
Approved by			Title			Date
Conditions of approval, if any, are attached certify that the applicant holds legal or ed which would entitle the applicant to conduct	quitable title to those rights in	es not warrant or n the subject lease	Office			
Title 18 U.S.C. Section 1001 and Title 43 U United States any false, fictitious or fraudu	J.S.C. Section 1212, makes i lent statements or represent	it a crime for any pe ations as to any mai	rson knowingly a tter within its juris	nd willfully to r		rtment or agency of the

RECEIVED AUG 3 1 2006



## Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: LCU 2-17H Location: Section 17-11S-20E, 816' FNL & 1808' FEL Company Permit Issued to: Dominion Exploration & Production, Inc. Date Original Permit Issued: 9/12/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes $\square$ No $\square$
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
Cula Wiston 8/28/2006
Signature Date
Title: Sr. Regulatory Specialist
Representing: Dominion Exploration & Production, Inc.

RECEIVED AUG 3 1 2006

## Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

ROUTING
1. DJJ
2. CDW

X - Change of Operator (Well So)	X -	Change	of On	erator	(Well	Sol	ď
----------------------------------	-----	--------	-------	--------	-------	-----	---

Operator Name Change/Merger

The operator of the well(s) listed below has chan	Орсти	tor runne	7/1/2007	,CI			
			7/1/2007				
FROM: (Old Operator):			<b>TO:</b> ( New O <sub>1</sub>	•			
N1095-Dominion Exploration & Production, Inc			N2615-XTO E				
14000 Quail Springs Parkway, Suite 600			1	uston St			
Oklahoma City, OK 73134			Fort W	orth, TX 76	5102		
Phone: 1 (405) 749-1300			Phone: 1 (817)	870-2800			
CA No.			Unit:		LITTLE C	ANYON	
WELL NAME	SEC TY	WN RNG	API NO	ENTITY	LEASE TYPE		WELL
WEBE TANKE	DEC 1	****		NO		TYPE	STATUS
SEE ATTACHED LIST							
OPERATOR CHANGES DOCUMENT	ATION	1					
Enter date after each listed item is completed							
1. (R649-8-10) Sundry or legal documentation wa	s receive	ed from the	FORMER ope	erator on:	8/6/2007		
2. (R649-8-10) Sundry or legal documentation wa	s receive	ed from the	NEW operator	on:	8/6/2007	•	
3. The new company was checked on the <b>Departs</b>			-		Database on:	•	8/6/2007
4a. Is the new operator registered in the State of U			Business Numb	_	5655506-0143		
4b. If <b>NO</b> , the operator was contacted contacted of			-				
5a. (R649-9-2)Waste Management Plan has been re		n:	IN PLACE			•	
5b. Inspections of LA PA state/fee well sites comp			n/a	nte			
5c. Reports current for Production/Disposition & S		on.	ok	-			
<del>-</del>				_			
6. Federal and Indian Lease Wells: The BL				e merger, na BLM	me change,	DIA	
or operator change for all wells listed on Feder 7. <b>Federal and Indian Units:</b>	ai or ingi	an leases	on.	BLW		BIA	-
The BLM or BIA has approved the successor	of unit o	perator fo	r wells listed on	:			
8. Federal and Indian Communization Ag	reemen	ts ("CA'	'):				
The BLM or BIA has approved the operator	for all we						
9. Underground Injection Control ("UIC"	')	The D	ivision has appr	oved UIC F	orm 5, Transfer	of Auth	ority to
Inject, for the enhanced/secondary recovery un	it/projec	t for the w	ater disposal we	ll(s) listed o	n:		_
DATA ENTRY:							
1. Changes entered in the Oil and Gas Database			9/27/2007	_			
2. Changes have been entered on the Monthly Op	perator (	Change S <sub>l</sub>			9/27/2007		
3. Bond information entered in RBDMS on:			9/27/2007	<del>-</del>			
4. Fee/State wells attached to bond in RBDMS or			9/27/2007	-			
<ul><li>5. Injection Projects to new operator in RBDMS of</li><li>6. Receipt of Acceptance of Drilling Procedures f</li></ul>		New on:	9/2//2007	9/27/2007			
6. Receipt of Acceptance of Drilling Procedures in BOND VERIFICATION:	OI AI DI.	INCW OII.		912112001	-		
4 4 4 44 5 43 7 4			UTB000138				
<ol> <li>Federal well(s) covered by Bond Number:</li> <li>Indian well(s) covered by Bond Number:</li> </ol>			n/a	-			
3a. (R649-3-1) The <b>NEW</b> operator of any state/fe	e well(s)	listed cov		umber	104312762		
3b. The <b>FORMER</b> operator has requested a releas			· ·	1/23/2008	_	-	
The Division sent response by letter on:	01 1140				•		
LEASE INTEREST OWNER NOTIFIC	ATIO	N:					
4. (R649-2-10) The <b>NEW</b> operator of the fee wells			d and informed b	y a letter fr	om the Division		
of their responsibility to notify all interest owne							
COMMENTS:							

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304736892	LCU 5-9H	SWNW	09			UTU-34350		Federal		APD
4304736893	LCU 5-17H	SWNW	17	1		UTU-76265		Federal	<del>                                     </del>	APD
4304736896	LCU 11-9H	NESW	09			UTU-76265		Federal	GW	APD
4304737059	LCU 2-17H	NWNE	17	4		UTU-76265		Federal	GW	APD
4304737285	LCU 11-17H	NESW	17			UTU-76265		Federal	OW	APD
4304737286	LCU 7-17H	SWNE	17		1	UTU-76265		Federal	OW	APD
4304737448	LCU 9-8H	NESE	08			UTU-76265		Federal	OW	APD
4304737653	LCU 14-9H	SESW	09			UTU-76265		Federal	GW	APD
4304737997	LCU 9-10H	NESE	10			UTU-44089		Federal	GW	APD
4304738069	LCU 8-35F	SENE	35			U-01470D		Federal	GW	APD
4304738070	LCU 12-35F	NWSW	35			U-01470D		Federal		APD
4304738071	LCU 15-35F	SWSE	35			U-01470D		Federal		APD
4304738072	LCU 16-35F	SESE	35	4		U-01470D	<b> </b>	Federal		APD
4304738073	LCU 1-1H	NENE	01			UTU-76264		Federal	<del> </del>	APD
4304738074	LCU 9-9H	NWSE	09	1 .		UTU-76265	<del></del>	Federal	1	APD
4304738093	LCU 9-1H	NESE	01			UTU-73436	<b>+</b>	Federal		APD
4304738094	LCU 6-1H	SENW	01	1		UTU-76264	1	Federal	GW	APD
4304738095	LCU 4-1H	NWNW	01	1		UTU-76264	<del> </del>	Federal		APD
4304738096	LCU 3-1H	NENW	01			UTU-76264		Federal		APD
4304738097	LCU 15-1H	SWSE	01			UTU-73436	1	Federal		APD
4304738098	LCU 10-1H	NWSE	01			UTU-73436	<del>                                     </del>	Federal	GW	APD
4304738183	LCU 6-35F	SENW	35			U-01470C	<u> </u>	Federal	GW	APD
4304738184	LCU 8-9H	NWSE	09			UTU-34350	1	Federal		APD
4304738185	LCU 8-1H	SENE	01			UTU-76264		Federal		APD
4304738296	LCU 3-17H	NENW	17			UTU-76265		Federal	1	APD
4304738297	LCU 12-17H	NWSW	17			UTU-76265	<u> </u>	Federal		APD
4304738298	LCU 13-17H	SWSW	17			UTU-76265		Federal		APD
4304738379	LCU 2-3H	NWNE	03	110S	200E	UTU-44090-A		Federal	GW	NEW
4304738419	LCU 16-10H	SESE	10	110S	200E	UTU-44089		Federal	GW	APD
4304738420	LCU 5-11H	SWNW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738421	LCU 10-11H	NWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738422	LCU 13-11H	SWSW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738423	LCU 15-11H	SWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738424	LCU 16-11H	SESE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738503	LCU 4-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738504	LCU 5-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738505	LCU 6-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738676	LCU 12-9H	NWSW	09	110S	200E	UTU-76265		Federal	GW	APD
4304738677	LCU 6-9H	SENW	09	110S	200E	UTU-34350		Federal	GW	APD
4304738678	LCU 4-11H	NWNW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738679	LCU 9-12H	NESE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738682	LCU 14-6G	SESW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738683	LCU 13-6G	SWSW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738684	LCU 10-6G	NWSE	06	110S	210E	UTU-81728		Federal	GW	APD
4304738685	LCU 5-6G	SWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738686	LCU 4-6G	NWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738687	LCU 7-6G	SWNE	06			UTU-075700		Federal	GW	APD
4304738688	LCU 3-6G	NENW	06	110S	210E	UTU-075700		Federal	GW	APD

1 09/27/2007

## N1095 DOMINION E and P, INC. to N2615 $\,$ XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304738784	LCU 11-35F	NESW	35	100S		UTU-82703		Federal	GW	APD
4304738788	LCU 6-10H	SENW	10	110S	200E	UTU-44089		Federal	GW	APD
4304738789	LCU 13-10H	SWSW	10	110S	200E	UTU-44089		Federal	GW	APD
4304738790	LCU 11-11H	SESW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738791	LCU 3-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738892	LCU 7-10H	SWNE	10	110S	200E	UTU-44089		Federal	GW	APD
4304738893	LCU 1-12H	NENE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738946	LCU 13-1H	NWSW	01	110S	200E	UTU-73436		Federal	GW	APD
4304738947	LCU 16-12H	SESE	12	110S	200E	UTU-73436		Federal	GW	APD
4304739050	LCU 15-4H	SWSE	04	110S	200E	UTU-81430		Federal	GW	APD
4304739158	LCU 15-3H	SWSE	03	110S	200E	UTU-34350		Federal	GW	APD
4304739159	LCU 5-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739160	LCU 4-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739161	LCU 8-8H	SENE	08	110S	200E	UTU-81430		Federal	GW	APD
4304739220	LCU 9-35F	NESE	35	100S	200E	UTU-82703		Federal	GW	APD
4304739221	LCU 7-35F	SWNE	35	100S	200E	UTU-82703		Federal	GW	APD
4304739224	LCU 14-10H	SESW	10	110S	200E	UTU-44089		Federal	GW	APD
4304739225	LCU 3-10H	NENW	10	110S	200E	UTU-44089		Federal	GW	APD
4304736773	LCU 6-16H	SENW	16	110S	200E	ML-48772		State	GW	APD
4304736808	LCU 13-12H	SWSW	12	110S	200E	FEE		Fee	GW	APD
4304736809	LCU 12-16H	NWSW	16	110S	200E	ML-48772		State	GW	APD
4304738027	LCU 1-2H	NENE	02	110S	200E	ML-48771		State	GW	APD
4304738255	LCU 6-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738272	LCU 3-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738343	LCU 14-2H	SESW	02			ML-48771		State	GW	APD
4304738675	LCU 16-2H	NWSW	01			ML-48771		State	GW	APD
4304738680	LCU 10-16H	NWSE	16	110S	200E	ML-48772		State	GW	APD
4304738681	LCU 14-16H	SESW	16	110S	200E	ML-48772		State	GW	APD
4304738785	LCU 5-36F	SWNW				ML-47391		State	GW	APD
4304739173	LCU 13-16H	SWSW	16	110S	200E	ML-48772		State	GW	APD
4304739174	LCU 11-16H	NESW				ML-48772		State	GW	APD
4304739223	LCU 4-16H	NWNW	16	110S	200E	ML-48772		State	GW	APD

2 09/27/2007

7/

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:						
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL OIL WELL ☐ GAS WELL ✓ OTHER	8. WELL NAME and NUMBER:						
2. NAME OF OPERATOR:	SEE ATTACHED						
XTO Energy Inc. N3415	9. API NUMBER: SEE ATTACHED						
3. ADDRESS OF OPERATOR: 810 Houston Street PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:						
CITY Fort Worth STATE TX ZIP 76102 (817) 870-2800	Natural Buttes						
FOOTAGES AT SURFACE: SEE ATTACHED	соинту: Uintah						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH						
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA						
TYPE OF SUBMISSION TYPE OF ACTION							
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION						
(Submit in Duplicate)  ALTER CASING  FRACTURE TREAT	SIDETRACK TO REPAIR WELL						
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON						
☐ CHANGE TO PREVIOUS PLANS	TUBING REPAIR						
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE						
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL						
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)	WATER SHUT-OFF						
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:						
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION							
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	es, etc.						
Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment from:							
Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134							
James D. Abercrombie Sr. Vice President, General Manager - Western Business Unit  Please be advised that XTO Energy Inc. is considered to be the operator on the attached list and is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. Bond coverage is provided by Nationwide BLM Bond #104312750 and Department of Natural Resources Bond #104312762.							
NAME (PLEASE PRINT) Edwin S. Ryan, Jr.,  SIGNATURE LIVE ST. Vice President DATE 7/31/2007	nt - Land Administration						
(This space for State use only)	RECEIVED						
APPROVED 9 137107	AUG 0 6 2007						
(5/2000) Coulene Russell Division of Oil, Gas and Mining (See Instructions on Reverse Side)	DIV. OF OIL, GAS & MINING						
Earlene Russell, Engineering Technician							

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

### Request to Transfer Application or Permit to Drill

	(This form should ac	company a Sundry	Notice, Form 9, reque	esting APD transfer)				
Well name: SEE ATTACHED LIST								
API r	number:							
Location:		Qtr-Qtr:	Section:	Township: Range				
Company that filed original application:		DOMINION E	&P					
Date	original permit was issued:							
Company that permit was issued to: DOMINION E&P								
Check one	Desired Action.							
One								
	Transfer pending (unapproved) Application for Permit to Drill to new operator							
The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.								
1	✓ Transfer approved Application for Permit to Drill to new operator							
The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.								
Following is a checklist of some items related to the application, which should be verified.				Yes	No			
If located on private land, has the ownership changed?					✓			
If so, has the surface agreement been updated?								
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?					✓			
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?				✓				
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?				✓				
Has the approved source of water for drilling changed?					✓			
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?				✓				
Is bonding still in place, which covers this proposed well? Bond No. 104312762			✓					
Any of should nece	desired or necessary changes to either ld be filed on a Sundry Notice, Form 9, ssary supporting information as required e (please printy HOLLY C. PERKINS ature	a pending or ap or amended Ap d.	proved Application olication for Permi	n for Permit to Drill that is being tr t to Drill, Form 3, as appropriate, FORY COMPLIANCE TECH	ansfer with	red,		
Repr	esenting (company name) XTO ENERG	J. 1140.						

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

(3/2004)

AUG 3 0 2007

Burgard Victorian Control



## United States Department of the Interior

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

Dominion Exploration & Production, Inc. Attn: James D. Abercrombie 14000 Quail Springs Parkway, #600 Oklahoma City, OK 73134-2600

August 10, 2007

Re:

Little Canyon Unit Uintah County, Utah

#### Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the Little Canyon Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Little Canyon Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

RECEIVED AUG 1 6 2007

DIV. OF OIL, GAS & MINING

DIV OF OIL, GAS & MINING

#### STATE OF UTAH

	DEPARTMENT OF NATURAL RESOURCES		
	DIVISION OF OIL, GAS AND MINING		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDR	NOTICES AND REPORTS ON WEL	.LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAMÉ: N/A
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below current bottom-hole de aterals. Use APPLICATION FOR PERMIT TO DRILL form for such propos	oth, reenter plugged wells, or to als.	7. UNIT OF CA AGREEMENT NAME: Little Canyon Unit
TYPE OF WELL     OIL WELL	GAS WELL 🗹 OTHER		8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR:		<del></del>	9. API NUMBER: 4304737059
XTO Energy 3. ADDRESS OF OPERATOR		PHONE NUMBER:	10. FIELD AND FOOL OR WILDOAT.
P.O. Box 1360	, Roosevelt UT ZIP 84066	(435) 722-4521	Undesignated
4. LOCATION OF WELL FOOTAGES AT SURFACE: 816'	NL & 1,808 FEL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN: NWNE 17 118 20E S		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICATE NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	1	YPE OF ACTION	
NOTICE OF INTENT	ACIDIZE DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING FRACTURE	E TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR NEW CON	STRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS OPERATO	R CHANGE	TUBING REPAIR
	CHANGE TUBING PLUG AND	ABANDON	VENT OR FLARE
✓ SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BAC	ĸ	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS PRODUCT	ION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMA	TION OF WELL SITE	✓ OTHER Permit Extension
	CONVERT WELL TYPE RECOMPL	ETE - DIFFERENT FORMATION	
	OMPLETED OPERATIONS. Clearly show all pertinent details in .  Lests a one year extension of the state permit		
	•	tor the referenced w	Gir.
This is the second extens	ion that has been requested.		
		oved by the Division of s and Mining	
	Date: 10	0-02-07	
	Ву:		RM.
NAME (PLEASE PRINT) Marnie G	riffin	Agent for XTO E	nergy
SIGNATURE	DA	9/7/2007	
	<u>/</u>		
(This space for State use only)			
			DECEIVED
			D 00T - 2 2007

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

above, hereby	verifies that the	n legal rights to drill on th information as submitted mains valid and does no	I in the previously
Following is a verified.	checklist of some	e items related to the app	olication, which should be
•	rivate land, has t en updated? Yes	he ownership changed, i □No☑	f so, has the surface
•		the vicinity of the proposents for this location? Yes	ed well which would affect s□ No ☑
		er agreements put in pla proposed well? Yes□No	
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑			
Has the appro	ved source of wa	ater for drilling changed?	Yes□No☑
	iire a change in p	changes to the surface lo plans from what was disc	
Is bonding still	in place, which o	covers this proposed we	ll? Yes ☑No □
h	1/		9/7/2007
Signature /	V	<del></del>	Date
Title: Agent	·	<del></del>	
Representing:	XTO Energy		

### STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF ON CAS AND MINING

	DELL'ANTINENT OF MATORIAE MESOCH	COLO	
	DIVISION OF OIL, GAS AND MIN	NING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill ne drill horizontal lat	wwells, significantly deepen existing wells below currerals. Use APPLICATION FOR PERMIT TO DRILL to	rent bottom-hole depth, reenter plugged wells, or to orm for such proposals.	7. UNIT OF CA AGREEMENT NAME. Little Canyon Unit
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR: XTO Energy, Inc.			9. API NUMBER: 4304737059
3. ADDRESS OF OPERATOR:	Roosevelt STATE UT ZIP	84066 PHONE NUMBER: (435) 722-4521	10. FIELD AND POOL, OR WILDCAT: Undesignated
4. LOCATION OF WELL	STATE OI ZIP	04000 (433) 122-4321	) Ondosignated
FOOTAGES AT SURFACE: 816' FN	NL & 1,808' FEL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN: 17 11S 2	OE S	STATE: UTAH
11. CHECK APPR	OPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE  ACTER CASSAIC	DEEPEN FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
Approximate date work will start	ALTER CASING  CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
,	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
✓ SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ other: Permit Extension
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
XTO Energy, Inc. hereby requests a one year extension of the state permit for the referenced well.  This is the third extension that has been requested.  Approved by the Utah Division of Oil, Gas and Mining  Date:  By:			
NAME (PLEASE PRINT) Kendell Jo	ohnson N N A A A A	Agent for XTO    DATE 9/22/2008	Energy, Inc.
SIGNATURE	xxxxxxxx	DATE	The state of the s
	<u>0.70.908</u>	nuctions on Reverse Side)	OCT 2 7 2008  IV OF OIL, GAS & MINING
•		· · · · · · · · · · · · · · · · · · ·	



### Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: Location: Company Per	4304737059 LCU 2-17H 816' FNL & 1,808' F mit Issued to: Permit Issued:		
above, hereby	verifies that the i	n legal rights to drill on t information as submitte mains valid and does n	
Following is a verified.	checklist of some	e items related to the ap	oplication, which should be
•	rivate land, has then updated? Yes	he ownership changed, s⊟No⊠	if so, has the surface
_		the vicinity of the proposents for this location? Ye	sed well which would affect es⊟ No⊠
	-	er agreements put in pla proposed well? Yes⊡ N	ace that could affect the o☑
		to the access route incliproposed location? Yes	uding ownership, or right- □ No ☑
Has the approv	ved source of wa	ater for drilling changed	? Yes⊟No⊠
	ire a change in p	changes to the surface blans from what was dis	location or access route cussed at the onsite
Is bonding still	in place, which o	covers this proposed we	ell? Yes⊠No⊟
Kind III Signature	phra	$\Delta$	9/22/2008 Date
Title: Kendell J	ohnson	<del> </del>	
Representing:	XTO Energy, Inc.		

			FORM 9
	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUND	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for propos bottom-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. Us	existing wells below current se APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047370590000
<b>3. ADDRESS OF OPERATOR:</b> 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: WILDCAT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1808 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNE Section: 17	(P, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S	5	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME
10/30/2010	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT			
Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR		☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	   MPLETED OPERATIONS. Clearly show all pert		volumes, etc.
XTO hereby reque	ests a one year extension on th	ne State Permit for the	Ammunical less than
	referenced well.		Approved by the Utah Division of
			Oil, Gas and Mining
			On, das and Mining
		D	<b>Date:</b> October 26, 2009
			Miles on &
		E	By: Diddyffill
			31)
NAME (PLEASE PRINT) Eden Fine	<b>PHONE NUMBER</b> 505 333-3664	TITLE Permitting Clerk	
SIGNATURE		DATE 10/23/2000	
N/A		10/22/2009	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC

**Date Original Permit Issued:** 9/12/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not requ

require revi	sion. Following is a ch	ecklist of some	tems related to th	e application, v	hich should be verified.
	ated on private land, h ed? 📗 Yes 🌘 No	as the ownershi	p changed, if so, h	as the surface	agreement been
	any wells been drilled requirements for this			ll which would	affect the spacing or
	nere been any unit or on sproposed well?		ts put in place that	could affect th	e permitting or operation
	there been any change the proposed location		route including ow No	vnership, or rig	ntof- way, which could
• Has tl	ne approved source of	water for drillin	g changed? 🔘 Y	res 📵 No	
	there been any physic je in plans from what				
• Is boı	nding still in place, wh	ich covers this p	roposed well? 🌘	Yes 📗 No	Approved by the Utah Division of I, Gas and Mining
Signature:	Eden Fine	<b>Date:</b> 10/22/2	2009		
Title:	Permitting Clerk Repre	senting: XTO EN	ERGY INC		October 26, 2009
		_		Þ	00 200

By: Dod

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		NG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDF	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ex igged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047370590000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NUMBER:	9. FIELD and POOL or WILDCAT: WILDCAT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1808 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
_	ACIDIZE	ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
9/28/2011	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN ☐	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION ☐	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION ☐	OTHER	OTHER:
l .	MPLETED OPERATIONS. Clearly show all pertin sts a one (1) year extension on referenced well.	the state permit for the	Approved by the Utah Division of Oil, Gas and Mining  ate: September 29, 2010  y:
NAME (PLEASE PRINT) Kelly Small	<b>PHONE NUMBER</b> 505 333-3145	TITLE Sr. Permitting Tech	
SIGNATURE N/A		<b>DATE</b> 9/28/2010	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC

**Date Original Permit Issued:** 9/12/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

uiie ievi	sion. Following is a	checklist of some items related to the	application, willch should be verified.
	ated on private land ed? 🔵 Yes 📵 N	, has the ownership changed, if so, haso o	s the surface agreement been
		ed in the vicinity of the proposed well is location? ( Yes ( No	which would affect the spacing or
	nere been any unit o s proposed well?		could affect the permitting or operation
	there been any char the proposed locati	nges to the access route including own on?  Yes  No	ership, or rightof- way, which could
• Has th	ne approved source	of water for drilling changed? 🔘 Ye	s 📵 No
		sical changes to the surface location on t was discussed at the onsite evaluati	
• Is bor	nding still in place, v	vhich covers this proposed well?	Approved by the Yes No Utah Division of Oil, Gas and Mining
nature:	Kelly Small	<b>Date:</b> 9/28/2010	
	•	Representing: XTO ENERGY INC	Date: September 29, 2010
			J. Decil V

Sig

Sundry Number: 18425 API Well Number: 43047370590000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	G	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDF	RY NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen exist ugged wells, or to drill horizontal laterals. Use A		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047370590000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	UMBER:	9. FIELD and POOL or WILDCAT: WILDCAT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1808 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNE Section: 17	IP, RANGE, MERIDIAN: 7 Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	of the State APD for the	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Krista Wilson	505 333-3647	Permitting Tech	
SIGNATURE N/A		<b>DATE</b> 9/12/2011	

Sundry Number: 18425 API Well Number: 43047370590000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC

**Date Original Permit Issued:** 9/12/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Krista Wilson **Date:** 9/12/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 29857 API Well Number: 43047370590000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal I n for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H
2. NAME OF OPERATOR: XTO ENERGY INC			<b>9. API NUMBER:</b> 43047370590000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NN		NE NUMBER: xt	9. FIELD and POOL or WILDCAT: WILDCAT
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1808 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 17 Township: 11.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
l .	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF		CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  epths, volumes, etc.  Approved by the Utah Division of Oil, Gas and Mining  Date: September 13, 2012  By:
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Richard L. Redus  SIGNATURE	303 397-3712	Regulatory  DATE	
N/A		9/11/2012	

Sundry Number: 29857 API Well Number: 43047370590000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/12/2005

Title: Regulatory

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

	• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
	• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
	• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
	• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
	• Has the approved source of water for drilling changed? 🔘 Yes 🌘 No
	<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
	• Is bonding still in place, which covers this proposed well?    Yes    No
Sign	ature: Richard L. Redus Date: 9/11/2012

Representing: XTO ENERGY INC

Sundry Number: 42500 API Well Number: 43047370590000

			-	
	FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: LITTLE CANYON	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047370590000	
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,	CO, 80155 303 397-	PHONE NUMBER: 3727 Ext	9. FIELD and POOL or WILDCAT: WILDCAT	
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH	
0816 FNL 1808 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 17 Township: 11.0S Range: 20.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
I .	TYPE OF ACTION    Actolize			
NAME (PLEASE PRINT) Sephra Baca	PHONE NUME 719 845-2103	BER TITLE Regulatory Analyst		
SIGNATURE N/A	718 040-2103	DATE 9/11/2013		

Sundry Number: 42500 API Well Number: 43047370590000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/12/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owing to a checking of some femical to the approacher, which checks so verifical
• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Sephra Baca Date: 9/11/2013

Title: Regulatory Analyst Representing: XTO ENERGY INC

Sundry Number: 52696 API Well Number: 43047370590000

	FORM 9			
STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265	
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: LITTLE CANYON	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: LCU 2-17H	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047370590000	
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397-	PHONE NUMBER: 3727 Ext	9. FIELD and POOL or WILDCAT: WILDCAT	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1808 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 17 Township: 11.0S Range: 20.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR	
Approximate date work will start:  7/14/2015	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/14/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date.	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  XTO Energy requests a one (1) year extension of the State APD for the referenced well.  Approved by the Utah Division of Oil, Gas and Mining July 01, 2014  Date:  By:				
NAME (PLEASE PRINT) Malia Villers	<b>PHONE NUMI</b> 303 397-3670	BER TITLE Lead Permitting Analyst		
SIGNATURE N/A		<b>DATE</b> 6/30/2014		

Sundry Number: 52696 API Well Number: 43047370590000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047370590000

**API:** 43047370590000

Title: Lead Permitting Analyst Representing: XTO ENERGY INC

Well Name: LCU 2-17H

Location: 0816 FNL 1808 FEL QTR NWNE SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/12/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

•		• •		
• If loca Yes(	<del>_</del>	wnership changed, if so, ha	as the surface agreement been u	ıpdated? 🔵
	any wells been drilled in the venents for this location?		ll which would affect the spacing	g or siting
	nere been any unit or other ag sed well? 🔵 Yes 📵 No	reements put in place that	could affect the permitting or o	peration of thi
	there been any changes to the sed location? 🔵 Yes 🍺		wnership, or rightof- way, which	could affect th
• Has th	ne approved source of water fo	or drilling changed? 🔘 🕦	Yes 📵 No	
	there been any physical chang from what was discussed at tl		or access route which will requi Yes  No	re a change in
• Is bon	ding still in place, which cove	rs this proposed well? 🌘	Yes 🔘 No	
Signature:	Malia Villers	Date: 6/30/2014		

RECEIVED: Jun. 30, 2014



## State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining JOHN R. BAZA

Division Director

October 1, 2015

Malia Villers XTO Energy Inc. 9127 South Jamaica St. Englewood, CO 80112

Re: APDs Rescinded for XTO Energy Inc., Uintah County

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded effective September 30, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc: Well File

Bureau of Land Management, Vernal



LCU 2-17H	43-047-37059
HCU 15-29F	43-047-35938
Big Pack U 9-28H	43-047-53113
KC 6-33E	43-047-37195
KC 9-33E	43-047-37196
KC 11-33E	43-047-37197